

**Amendments to the Claims**

This listing of claims, if entered, will replace all prior versions and listings of claims in the present application.

1. (Previously Presented) A method in a computer system, the method comprising:  
receiving a request from a user to generate a requested display page, wherein  
the requested display page comprises  
realtime information, and  
non-realtime information,  
the realtime information comprises  
information displayable without computation, and  
the non-realtime information comprises  
information requiring computation to generate the non-realtime  
information prior to display;  
retrieving the realtime information to be included on the requested display page;  
if a previously cached version of the non-realtime information is available,  
generating the requested display page, wherein  
the requested display page comprises  
the retrieved realtime information, and  
the previously cached non-realtime information,  
requesting re-generation of the non-realtime information, wherein  
the requesting of the re-generation is performed subsequent to the  
generating the requested display page, and  
the re-generation of the non-realtime information produces re-generated  
non-realtime information, and  
caching the re-generated non-realtime information as cached re-generated  
realtime information, wherein  
the cached re-generated realtime information is configured to be used  
when generating another instance of the requested display page in

response to a subsequent request for the requested display page;  
and  
if a previously cached version of the non-realtime information is not available,  
generating the requested display page, wherein  
the requested display page comprises the retrieved realtime information,  
and  
an indication that the non-realtime information is not yet ready for  
display, and  
the indication that the non-realtime information is not yet ready for display  
is provided in a location in which the non-realtime information is  
to be displayed,  
requesting generation of the non-realtime information,  
caching the generated non-realtime information, and  
generating the requested display page in response to a subsequent request for the  
requested display page, wherein  
the requested display page comprises  
the retrieved realtime information, and  
the cached non-realtime information.

2. (Previously Presented) The method of claim 1 wherein the generating the requested display page comprising an indication that the non-realtime information is not yet ready for display further comprises:  
including a link for requesting the requested display page.
3. (Canceled)
4. (Previously Presented) The method of claim 1 wherein the request to generate the requested display page is received when the user logs on to one of the computer system and a client coupled to the computer system.
5. (Previously Presented) The method of claim 4 wherein the requested display page is a homepage.

6. (Canceled)
7. (Canceled)
8. (Original) The method of claim 1 wherein the generated information includes a graphical representation of information.
9. (Previously Presented) A computer system comprising:
  - a component configured to receive a request from a user to generate a requested display page, wherein
    - the requested display page comprises
      - realtime information, and
      - non-realtime information,
  - a component configured to retrieve information specific to the user to be included on the requested display page;
  - a component configured to retrieve realtime information to be included on the requested display page, wherein
    - the realtime information comprises
      - information displayable without computation;
  - a component configured to request non-realtime information to be included on the requested display page and to cache the generated non-realtime information, wherein
    - the non-realtime information comprises
      - information requiring computation to generate the non-realtime information prior to display;
  - a component configured to,
    - if a cached version of the non-realtime information is available,
      - generate the requested display page comprising wherein
        - the requested display page comprises
          - the realtime information, and
          - the cached non-realtime information,
        - request re-generation of the non-realtime information, wherein

the request of the re-generation is performed subsequent to the generation of the requested display page, and the re-generation of the non-realtime information produces re-generated non-realtime information, and cache the re-generated non-realtime information as cached re-generated non-realtime information, wherein the cached re-generated realtime information is configured to be used when generating another instance of the requested display page in response to a subsequent request for the requested display page, and if a cached version of the non-realtime information is not available, generate the requested display page, wherein the requested display page comprises the retrieved realtime information, and an indication that the non-realtime information is not yet ready for display, and the indication that the non-realtime information is not yet ready for display is provided in a location in which the non-realtime information is to be displayed, request generation of the non-realtime information, cache the generated non-realtime information, and generate the requested display page in response to a subsequent request for the requested display page, wherein the requested display page comprises the retrieved realtime information, and the cached non-realtime information; and a component configured to send to a user computer system the requested display page for display to a user so that the user can view the realtime information if the non-realtime information is not yet ready.

10. (Previously Presented) The computer system of claim 9 wherein the component configured to generate the requested display page comprises an indication that the non-realtime information is not yet ready for display is further configured to include a link for requesting the requested display page.
11. (Previously Presented) The computer system of claim 9 wherein the request to generate the requested display page is received from the user.
12. (Previously Presented) The computer system of claim 9 wherein the request to generate the requested display page is received when the user logs on to one of the computer system and a client coupled to the computer system.
13. (Previously Presented) The computer system of claim 12 wherein the requested display page is a homepage.
- 14-15. (Canceled)
16. (Previously Presented) The computer system of claim 9 wherein the generated information includes a graphical representation of the business information.
- 17-21. (Canceled)
22. (Cancelled)
23. **(Currently Amended)** A computer-readable storage medium comprising program instructions executable to:
- receive a request from a user to generate a requested display page, wherein
    - the requested display page comprises
      - realtime information, and
      - non-realtime information,
    - the realtime information comprises
      - information displayable without computation, and
    - the non-realtime information comprises
      - information requiring computation to generate the non-realtime information prior to display[[,]];

retrieve the realtime information to be included on the requested display page;  
if a previously cached version of the non-realtime information is available,  
    generate the requested display page, wherein  
        the requested display page comprises  
            the retrieved realtime information, and  
            the previously cached non-realtime information,  
request re-generation of the non-realtime information, wherein  
    the request of the re-generation of the non-realtime information is  
        performed subsequent to the generating the requested display page,  
    and  
    the re-generation of the non-realtime information produces re-generated  
        non-realtime information, and  
cache the re-generated non-realtime information as cached re-generated non-  
    realtime information, wherein  
    the cached re-generated realtime information is configured to be used  
        when generating another instance of the requested display page in  
        response to a subsequent request for the requested display page;  
    and  
if a previously cached version of the non-realtime information is not available,  
    generate the requested display page, wherein  
        the requested display page comprises  
            the retrieved realtime information, and  
            an indication that the non-realtime information is not yet ready for  
                display, and  
    the indication that the non-realtime information is not yet ready for display  
        is provided in a location in which the non-realtime information is  
        to be displayed,  
request generation of the non-realtime information,  
cache the generated non-realtime information, and  
    generate the requested display page in response to a subsequent request for  
        the requested display page, wherein  
        the requested display page comprises

the retrieved realtime information, and  
the cached non-realtime information.

24. (Canceled)

25. (Canceled)

26. (Previously Presented) The method of claim 1 further comprising:  
drilling down to view underlying information used to generate a selected portion of the  
requested display page, in response to a request selecting the selected portion of  
the requested display page, wherein the drilling down comprises  
retrieving the underlying information used to generate the selected portion of the  
requested display page, and  
presenting the underlying information by virtue of one of  
regenerating the requested display page comprising the realtime  
information, the non-realtime information, and the underlying  
information, and  
generating a new display page comprising the underlying information.

27. (Previously Presented) The computer system of claim 9 further comprising:  
a component configured to drill down to view underlying information used to  
generate a selected portion of the requested display page, in response to a  
request selecting the selected portion of the requested display page,  
wherein the drilling down comprises  
retrieving the underlying information used to generate the selected portion of the  
requested display page, and  
presenting the underlying information by virtue of one of  
regenerating the requested display page comprising the realtime  
information, the non-realtime information, and the underlying  
information, and  
generating a new display page comprising the underlying information.

28. (Previously Presented) A computer-readable storage medium of claim 23, wherein the program instructions are further executable to:

drill down to view underlying information used to generate a selected portion of the requested display page, in response to a request selecting the selected portion of the requested display page, wherein the drill down instructions comprise further instructions to

retrieve the underlying information used to generate the selected portion of the requested display page, and

present the underlying information by virtue of one of

regenerating the requested display page comprising the realtime information, the non-realtime information, and the underlying information, and

generating a new display page comprising the underlying information.